

## **FISH TESTING RESULTS: SUSTAINABLE ENERGY AND ECONOMIC DEVELOPMENT(SEED COALITION)**

### **Fish Testing-Grocery Store Samples from Austin, Texas - February 2003**

<b>Date purchased</b>	<b>Fish/seafood</b>	<b>Hg in mg/kg</b>	<b>Exceeds EPA</b>	<b>Exceeds TX</b>	<b>Exceeds FDA</b>
2/20/03	shark (black tip)	1.28	X	X	X
2/20/03	swordfish steak	0.766	X	X	
2/20/03	tuna (steak)	0.354	X		
2/20/03	tuna (canned)	<.04			
2/20/03	frozen fish sticks	<.04			
2/20/03	catfish	<.04			
2/20/03	shrimp	<.04			
2/21/03	swordfish steak	0.578	X		
2/21/03	orange roughy fillet	0.436	X		
2/21/03	tuna steak -ahi sashimi	0.378	X		
2/21/03	scarlet red snapper fillet	0.118			
2/21/03	rainbow trout	<.04			
2/21/03	tuna (canned)	<.04			
2/21/03	catfish	<.04			
2/21/03	shrimp	<.04			

Tested in Austin, Texas at AnalySys Inc.,

3512 Montopolis Dr., Austin, Texas 78744

Methods- USEPA Procedures 245.5 & 7471

Samples submitted for testing 2/21/03 - fillets were tested.

EPA- .2 mg/Kg TX- .7 mg/Kg FDA- 1.0 mg/Kg

## **FISH TESTING RESULTS:**

## SUSTAINABLE ENERGY AND ECONOMIC DEVELOPMENT(SEED COALITION)

### Fish Testing-Coleto Creek Reservoir- adjacent to Coleto Creek power plant

Note: There is no Texas Dept. of Health data yet for this reservoir

Date Caught	Fish	Hg in mg/kg	Exceeds EPA
3/30/03	black bass	0.442	x
3/30/03	black bass	0.372	x
3/30/03	black bass	0.59	x
3/30/03	black bass	0.278	x
3/30/03	black bass	0.408	x

Tested in Austin, Texas at AnalySys Inc.,  
3512 Montopolis Dr., Austin, Texas 78744

Methods- USEPA Procedures 245.5 & 7471

Samples submitted for testing 3/31/03 - whole fish were tested.

EPA- .2 mg/Kg TX- .7 mg/Kg FDA- 1.0 mg/Kg